

ala int

AIJ ISCIY

# SPRING/SUMMER

### MOW WITH AN ATTITUDE

RESIDENTIAL & COMMERCIAL ZERO-TURN MOWERS



### MOW WITH AN ATTITUDE

BADBOY-MOWERS.COM.AU | 1800 959 690

# BOY /ERS

# 

MOWER DECKS FROM 42" - 72"



# WHO ARE BAD BOY MOWERS?

Let us introduce ourselves...



PFG Australia have introduced a new era of lawn care excellence! Bad Boy Zero-Turn Mowers, renowned for their unrivaled performance and precision, are making their highly anticipated debut in Australia, straight from America.

As the pioneers of innovation in the world of landscaping equipment, Bad Boy Mowers have been redefining the standards of lawn maintenance across the United States, and now they're ready to revolutionise the way Australians approach lawn care. Get ready to experience the power, speed, and quality craftsmanship that have made Bad Boy Zero-Turn Mowers a household name in America.

It's time to elevate your mowing game and witness the future of lawn care right here in Australia.

**Greg Clark** GENERAL MANAGER GROUNDS CARE DIVISION

# RESIDENTIAL

TAYAG

IBAID IBCD

BUILT FOR THE HOMEOWNER, TOUGH ENOUGH FOR A PRO



# MZ RAMBLER

### DON'T LET ITS SIZE FOOL YOU, ITS ALL BAD BOY

The MZ Rambler is here to redefine the industry by further distinguishing our top-value mower from the competition. Even our most compact zero-turn mower embodies the same exceptional craftsmanship that has defined every Bad Boy mower to date.



PTIONS SZ0174

Π

7

You'll enjoy your time so much that you'll hardly notice how quickly you can return to accomplishing all your other daily tasks.



- Dual hydro gear ZT 2200 drive systems
- 19 hp single cylinder Briggs & Stratton engine
- Heavy-gauge, all-steel, all-welded 50x50mm frame
- 7.9mm steel front forks
- Industry leading 7-gauge/4.5mm fabricated deck with reinforced edges
- PEER, maintenance-free spindles
- Deck lift pedal with deck dial adjustment
- Seat lifts for easy maintenance and cleaning
- Electric PTO
- Comfort seat
- Cutting height of 38mm to 114mm
- Rear Tyres: 18x8.5-8 Turf
- Front Tyres: 11x4-5
- Fuel 18.92L
- Mower speed up to 9.66km/h



#### PRIORITISES BOTH COMFORT AND CONTROL

The cushioned seat adjusts front to back and the steering is tighter and smoother with our steering dampening system for better response and maneuverability. The adjustable, left or right side deck lift pedal allows you to easily dial in a deck height for a perfect cut time and time again.

The large capacity fuel tanks also allow for plenty of deep storage and a cup holder. There's easy access to all pulleys and drive belts with the flip-up floorboard — with rubber mat — being a first for its class.

#### 42" DECK

**ENGINE** Briggs & Stratton Single Cylinder 19hp

> TRANSMISSION Dual Hydro Gear ZT2200

**CUTTING WIDTH** 42 inch / 1066mm

> WEIGHT 287kg

OVERALL HEIGHT/LENGTH 1066mm / 1930mm

CHUTE UP/DOWN WIDTH 1193mm / 1473mm





ADDITIONAL MOWER OPTIONS ARE AVAILABLE. CONTACT YOUR LOCAL BAD BOY MOWERS DEALER FOR DETAILS AND PRICING.



# MZ MAGNUM

DOESN'T COMPROMISE ON QUALITY, POWER, OR PERFORMANCE

Many mowers in this price category are typically constructed from thin steel sheets and assembled with bolts. However, our MZ Series mowers are constructed side by side, adhering to the same rigorous manufacturing standards as our commercial-grade mowers. Therefore, if you're considering transitioning to the efficiency of zeroturn mowing, you won't have to compromise on build quality, power, or performance.



It's the ride that makes work feel like too much fun, and it's your machine to help you reclaim your time.



- Dual ZT-2200 EZT Integrated Drive Systems
- Heavy-Gauge, All-Steel, All-Welded Frame
- 9.5mm Steel Front Forks
- 7-Gauge/4.5mm All Steel, Formed and Welded Deck with Reinforced Edges
- PEER, Maintenance-Free Spindles
- Deck Lift Pedal with Deck Dial Adjustment
- Seat Lifts for Easy Maintenance and Cleaning
- Electric PTO
- Comfort Seat
- Cutting height of 38mm to 114mm
- Rear Tyres: 18x9.5-8 Turf
- Front Tyres: 11x6-5
- Fuel 18.92L
- Mower speed up to 9.65km/h

#### EASY TO HANDLE AND EVEN EASIER TO OWN

The cushioned seat adjusts front to back and steering is tighter and smoother with our steering dampening system for better response and maneuverability. The adjustable, left or right side deck lift pedal allows you to easily dial in a deck height for a perfect cut time and time again.

The large capacity fuel tanks also allow for plenty of deep storage and a cup holder. There's easy access to all pulley and drive belts with the flip-up floorboard — with rubber mat — being a first for its class.

#### 48" DECK

ARRANT

**ENGINE** Briggs & Stratton Cxi25 724cc 25 hp

> TRANSMISSION Dual Hydro Gear ZT2200 EZT Integrated Unit

CUTTING WIDTH 48 inch / 1220mm

> WEIGHT 299kg

OVERALL HEIGHT/LENGTH 1066mm / 1930mm

CHUTE UP/DOWN WIDTH 1372mm / 1550mm



#### 54" DECK

ENGINE Kohler KT740 725cc 25 hp

TRANSMISSION

Dual Hydro Gear ZT2200 EZT Integrated Unit

CUTTING WIDTH 54 inch / 1372mm

> WEIGHT 312kg

OVERALL HEIGHT/LENGTH 1066mm / 1930mm

CHUTE UP/DOWN WIDTH 1473mm / 1702mm

\$9,750 INC GST



ADVANCED CHUTE SYSTEM



MULCHING KIT



# ZT AVENGER

### BE THE SUPERHERO OF YOUR YARD

We've taken our most sought-after model and crafted the ultimate value proposition for residential homeowners. The ZT Avenger combines the same exceptional build quality and durability that defines every Bad Boy Mower, seamlessly matched with the power and performance you'd anticipate – all at a price that might pleasantly surprise you. Delivering this level of value is what we're renowned for.



Need proof? Simply take a seat and experience it for yourself.



- Dual Hydro-Gear 2800 Series Integrated Drive Systems
- Heavy-Gauge, All-Steel, All-Welded Frame
- Industry-Leading 9.5mm Steel Front Forks
- 7-Gauge/4.5mm All Steel, Formed and Welded Deck with Reinforced Edges
- PEER, Maintenance-Free Spindles
- Deck Lift Pedal with Deck Dial Adjustment
- Seat Lifts for Easy Maintenance and Cleaning
- Electric PTO
- Comfort Seat
- Cutting height of 38mm to 114mm
- Rear Tyres: 20x12-10 Turf
- Front Tyres: 12x6-6
- Fuel 24.6L
- Mower speed up to 11.26km/h

#### BUILT STRONG WITHOUT SACRIFICES

Built on a strong 50x50mm all steel rail frame for its backbone. We add 9.5mm steel front forks — a Bad Boy construction hallmark — and a solid steel, all-welded deck. Formed from tough 7-gauge/4.5mm steel with reinforced edges, the unique baffling system maximises airflow for greater grass lift and a cleaner cut.

And it all rides on a lower centre of gravity for better traction. Accessibility and being simple to clean and maintain comes standard. In fact, we simply make owning a Bad Boy as easy as driving one — without sacrificing a single ounce of performance or cut quality.

#### 54" DECK

ENGINE Kohler KT740 725cc 25 hp


**TRANSMISSION** Dual Hydro Gear 2800

**CUTTING WIDTH** 54 inch / 1372mm

> WEIGHT 338kg

OVERALL HEIGHT/LENGTH 1168mm / 1892mm

CHUTE UP/DOWN WIDTH 1473mm / 1702mm



#### 60" DECK

ENGINE Kohler KT740 725cc 25 hp

**TRANSMISSION** Dual Hydro Gear 2800

**CUTTING WIDTH** 60 inch / 1524mm

> WEIGHT 346kg


OVERALL HEIGHT/LENGTH 1168mm / 1892mm

CHUTE UP/DOWN WIDTH 1625mm / 1854mm





MULCHING KIT



BOLT ON HITCH



# ZT ELITE

### THE INDUSTRY STANDARD FOR ZERO-TURN MOWERS

Bad Boy's ZT Elite zero-turn mower has gained widespread acclaim for delivering exceptional value in terms of performance and affordability for homeowners. Our commitment to continuous improvement ensures it keeps getting better, stronger, and more comfortable.



In the United States, it has been the top-selling model from Bad Boy since its debut. Now, Australians have the opportunity to experience it for themselves. The ZT Elite offers residential homeowners an outstanding ride and even more impressive value.

#### STANDARD FEATURES

Dual Hydro-Gear 3100 Series Integrated Drive Systems

- Patented Independent Front Suspension
- Heavy-Gauge, All-Steel, All-Welded Frame
- 9.5mm Steel Front Forks
- 7-Gauge/4.5mm All Steel, Formed and Welded Deck with Reinforced Edges
- PEER, Maintenance-Free Spindles
- Deck Lift Pedal with Deck Dial Adjustment
- Seat Lifts for Easy Maintenance and Cleaning
- Electric PTO
- Comfort Seat
- Cutting height of 38mm to 114mm
- Fuel 24.6L
- Mower speed up to 11.26km/h

#### OUR MOST POPULAR MOWER MADE EVEN BETTER

Built and priced to own the demanding residential landowner market, the ZT Elite features strong 50x50mm all steel rail frame for its backbone. 9.5mm steel front forks are a Bad Boy construction hallmark, as is the solid steel, all-welded deck. The addition of patented independent front suspension comes standard to ensure a smooth ride.

Formed from tough 7-gauge/4.5mm steel with reinforced edges, the unique baffling system maximises airflow for greater grass lift and a cleaner cut. And it all rides on a lower centre of gravity for better traction.

#### 48" DECK

WARRANT

ENGINE Kohler KT740 725cc 25 hp

**TRANSMISSION** Dual Hydro Gear 3100

CUTTING WIDTH 48 inch / 1220mm

> WEIGHT 368kg

OVERALL HEIGHT/LENGTH 1168mm / 1892mm

CHUTE UP/DOWN WIDTH 1371mm / 1549mm

REAR TYRES/FRONT TYRES 22x10-10 Turf / 13x6-6



#### 54" DECK

ENGINE Kohler KT745 747cc 26 hp

**TRANSMISSION** Dual Hydro Gear 3100


CUTTING WIDTH 54 inch / 1372mm

> WEIGHT 380kg

OVERALL HEIGHT/LENGTH 1168mm / 1892mm

CHUTE UP/DOWN WIDTH 1473mm / 1702mm

REAR TYRES/FRONT TYRES 22x11-10 Turf / 13x6-6



#### 60" DECK

ENGINE Kohler KT745 747cc 26 hp

**TRANSMISSION** Dual Hydro Gear 3100

CUTTING WIDTH 60 inch / 1524mm

> WEIGHT 392kg

OVERALL HEIGHT/LENGTH 1168mm / 1892mm

CHUTE UP/DOWN WIDTH 1625mm / 1854mm

REAR TYRES/FRONT TYRES 22x11-10 Turf / 13x6-6



#### OPTIONS



ADVANCED CHUTE SYSTEM



BOLT ON HITCH



13





MODEL: BZS602T740 SERIAL NO.: ASAISHDL6654CK3467 DATE: 2023

# ZT ELITE L.E.

### THE LAUNCH EDITION - ONLY 50 BUILT

Bad Boy and PFG Australia have collaborated to commemorate 20 years of mower production and the introduction of the renowned brand in Australia. Together, they have created a special edition mower based on one of their most popular models, the ZT Elite L.E. (Launch Edition).



This unique variant offers several enhancements compared to the standard version, including a sleek blackout paint scheme, a high-performance Kohler engine, a 50mm hitch receiver, Reaper tyres, custom hand grips, and a seat with an isolation kit. Each unit is individually numbered with a unique build plate, and only 50 mowers will be available throughout Australia.

To seize this once-in-a-lifetime opportunity, make sure to secure one from your local Bad Boy Mowers dealership.

- Dual Hydro-Gear 3100 Series Integrated Drive Systems
- Patented Independent Front Suspension
- Heavy-Gauge, All-Steel, All-Welded Frame
- 9.5mm Steel Front Forks
- 7-Gauge/4.5mm All Steel, Formed and Welded Deck with Reinforced Edges
- PEER, Maintenance-Free Spindles
- Deck Lift Pedal with Deck Dial Adjustment
- Seat Lifts for Easy Maintenance and Cleaning
- Electric PTO
- Comfort Seat
- Cutting height of 38mm to 114mm
- Fuel 24.6L
- Mower speed up to 11.26km/h



#### TAKE THE ELITE NEXT LEVEL

Designed and priced specifically for homeowners with large residential properties, the ZT Elite L.E. is built to meet their demanding needs. Its sturdy backbone consists of a robust 50x50mm all steel rail frame. The front forks, made of 9.5mm steel, are a signature of Bad Boy's durable construction.

The deck is crafted from solid steel and welded together for added strength. Constructed from tough 7-gauge/4.5mm steel with reinforced edges, the unique baffling system enhances airflow, resulting in improved grass lift and a more precise cut. Additionally, the mower's lower center of gravity ensures better traction while in operation.

#### 60" DECK

ENGINE Kohler Confidant ZT740 747cc 26 hp

> TRANSMISSION Dual Hydro Gear 3100


CUTTING WIDTH 60 inch / 1524mm

> WEIGHT 392kg

**OVERALL HEIGHT/LENGTH** 1168mm / 1892mm

**CHUTE UP/DOWN WIDTH** 1625mm / 1854mm

**REAR TYRES/FRONT TYRES** 22x11-10 Reaper / 13x6-6 Smooth















BOLT ON HITCH



# MAVERICK

### CUTS LIKE A CHAMP, CONTROLS LIKE A PRO

We've introduced a mower that stands in a league of its own – a genuine Maverick in the industry. It's the first commercial-grade mower with an Integrated Drive System, boasting our patented EZ-Ride<sup>®</sup> System. What's more, we're introducing it to the Australian market at a price that will challenge the competition.



With independent front and rear suspension, it effortlessly glides over uneven terrain, putting you in command of a genuine Maverick experience from the cockpit.

#### STANDARD FEATURES

- Dual Hydro-Gear 3200 Series Integrated Drive Systems
- Patented EZ-Ride<sup>®</sup> SystemPatented Independent
- Front SuspensionI-Beam Front Rails
- Heavy-Gauge, All-Steel, All-Welded Frame
- Industry-Leading 9.5mm
  Steel Front Forks
- 7-Gauge/4.5mm All Steel, Formed and Welded Deck with Reinforced Edges
- PEER, Maintenance-Free Spindles

- Deck Lift Pedal with Deck Dial Adjustment
- Seat Lifts for Easy Maintenance and Cleaning
- Adjustable Steering Arms
- Electric PTO
- Comfort Seat
- Cutting Height of 38mm to 114mm
- Rear Tyres: 23x11-12 Turf
- Front Tyres: 13x6.5-6
- Fuel 24.60L
- Mower speed up to 14.48km/h

#### COMMERCIAL GRADE FOR THE HOMEOWNER

Built and outfitted commercial-grade tough, but priced perfect for the demanding landowner, the Maverick features strong 50x50mm all steel rail frame for its backbone.

The 12.7mm steel front forks are a Bad Boy construction hallmark, as is the solid steel, allwelded and formed deck. Formed from tough 7-gauge/4.5mm steel with reinforced edges, we've improved the baffling system to maximise greater grass lift for a cleaner cut.

# 

#### 54" DECK

ENGINE Kohler ZT740 747cc 25 hp

**TRANSMISSION** Dual Hydro Gear 3200

SUSPENSION E-Z Ride® Patented Compression Rear Suspension with Independent Front Suspension Rails

> CUTTING WIDTH 54 inch / 1372mm

> > WEIGHT 456kg

OVERALL HEIGHT/LENGTH 1193mm / 2032mm

CHUTE UP/DOWN WIDTH 1473mm / 1702mm



#### 60" DECK

ENGINE Kohler ZT740 747cc 25 hp

**TRANSMISSION** Dual Hydro Gear 3200

SUSPENSION E-Z Ride® Patented Compression Rear Suspension with Independent Front Suspension Rails

> CUTTING WIDTH 60 inch / 1524mm

> > WEIGHT 468kg

OVERALL HEIGHT/LENGTH 1193mm / 2032mm

CHUTE UP/DOWN WIDTH 1625mm / 1854mm





ADVANCED CHUTE SYSTEM



SNOITGO



# RESIDENTIAL



**18** BADBOY-MOWERS.COM.AU | 1800 959 690





# MAVERICK HD

### WE'VE KICKED THE MAVERICK UP A NOTCH

ADDITIONAL MOWER OPTIONS ARE AVAILABLE. CONTACT YOUR LOCAL BAD BOY MOWERS DEALER FOR DETAILS AND PRICING.

We've transformed the Maverick into an entry-level professional powerhouse! Our Maverick HD Commercial zeroturn mower now features larger Hydro-Gear® drives, Kohler EFI engine, and a premium suspension seat, ensuring top-tier performance day in and day out.

The Maverick HD boasts a dual high-performance Hydro-Gear® 3400 Integrated Drive System, guaranteeing consistent, self-contained power and performance. Additionally, our patented independent suspended cast front I-Beam rails provide unparalleled strength and durability in the industry, supporting 9.5mm Steel Front Forks.

#### MOARD THRE

- Dual Hydro-Gear 3400 Series Commercial-Grade Integrated Drive Systems
- Patented EZ-Ride® System
- Patented Independent Front Suspension
- I-Beam Front Rails
- 7-Gauge/4.5mm All Steel, Formed and Welded Deck with Reinforced Edges
- Heavy-Gauge, All-Steel, All-Welded Frame
- Industry-Leading 9.5mm Steel Front Forks
- PEER, Maintenance-Free Spindles Deck

- Lift Pedal with Deck Dial Adjustment
- Seat Lifts for Easy Maintenance and Cleaning
- Premium Adjustable Suspension Seat
- No-Flat Front Tyres Front
- Adjustable Steering Arms
- Electric PTO
- Striping Kit
- Cutting height of 38mm to 114mm
- Eucl 24.601
- Mower speed up to 14.48km/h

#### STRENGTH TO GO ANYWHERE YOU NEED

Heavy-gauge, all-steel, all-welded and fabricated 50x50mm frame rail provides the backbone for the commercial duty Maverick HD. Patented Dual Deck Support Isolators helps minimise damage from side impacts.

The solid steel, 4.5mm formed and welded deck with reinforced 9.5mm sides features an improved baffling system that provides greater grass lifting power for an even cleaner cut. And all of this is packed on a lower profile frame that improves stability on inclines and uneven turf.

#### **48**" DECK

RRANT

ENGINE Kohler ECV749 747cc EFI 25.5 hp

> TRANSMISSION Dual Hydro Gear 3400

**CUTTING WIDTH** 48 inch / 1219mm

> WEIGHT 464kg

**OVERALL HEIGHT/LENGTH** 1244mm / 2032mm

CHUTE UP/DOWN WIDTH 1371mm / 1549mm

**REAR TYRES/FRONT TYRES** 23x9-12 Reaper / 13x6.5-6 Smooth



#### 54" DECK

ENGINE Kohler ECV749 747cc EFI 25.5 hp

> TRANSMISSION Dual Hydro Gear 3400

**CUTTING WIDTH** 54 inch / 1372mm

> WEIGHT 475kg

OVERALL HEIGHT/LENGTH 1244mm / 2032mm

CHUTE UP/DOWN WIDTH 1473mm / 1702mm

**REAR TYRES/FRONT TYRES** 23x11-12 Reaper / 13x6.5-6 Smooth



#### 60" DECK

ENGINE Kohler ECV749 747cc EFI 25.5 hp

> TRANSMISSION Dual Hydro Gear 3400

**CUTTING WIDTH** 60 inch / 1524mm

> WEIGHT 486kg

**OVERALL HEIGHT/LENGTH** 1244mm / 2032mm

**CHUTE UP/DOWN WIDTH** 1625mm / 1854mm

**REAR TYRES/FRONT TYRES** 23x11-12 Reaper / 13x6.5-6 Smooth



#### OPTIONS



MULCHING KIT







21





# OUTLAW REBEL

### BREAKING EVERY RULE TO GIVE YOU BETTER VALUE

Built upon the rich legacy of classic Bad Boy Mower excellence in performance and durability, the Outlaw Rebel zero-turn mower inherits the same high-performance foundation as our other Outlaw Series mowers.

Equipped with substantial integrated drive systems and offered in two different deck sizes, the Rebel commercial zero-turn mower strikes the ideal balance between the robust power demanded by professionals and the value-conscious pricing that homeowners and large landowners have come to anticipate from Bad Boy Mowers.

#### STANDARD FEATURES

- Dual Hydro-Gear<sup>®</sup> 4400 Series High-Performance Integrated Drive Systems
- Heavy-Duty front axle
- Heavy-Gauge, All-Steel, All-Welded Frame
- Patented Dual Deck
  Support Isolators
- Sloped 3-Gauge/6mm Deck with Reinforced 9.5mm Sides
- PEER, Maintenance-Free
  Spindles
- Deck Lift Pedal with
  Deck Dial Adjustment

- Premium Adjustable
  Suspension Seat
- Rear Deck Striping Kit
- Exclusive Reaper<sup>®</sup> Rear Tyres
- Adjustable Footrest
- No-Flat Front Tyres
- Electric PTO
- Cutting height of 25mm to 127mm
- Rear Tyres: 24x12-12 Reaper
- Front Tyres: 13x6.5-6 Smooth
- Fuel 49.21L
- Mower speed up to 19.31km/h

#### DESIGNED FOR ALL-DAY MOWING ENDURANCE

Heavy-gauge, all-steel, all-welded and fabricated 38 x 76mm frame rail provides the backbone for years of durable service. Patented Dual Deck Support Isolators, with deck wear pad, helps minimise damage from side impacts.

The sloped 6mm deck with reinforced 9.5mm sides features Deck Idler Arm and Spring with bearings for consistent tension and cutting speed. The PEER maintenance-free, internally lubricated spindles are made from strong ductile iron.

#### 61" DECK

**ENGINE** Kawasaki EVO780 780cc EFI 31 hp

TRANSMISSION 4400 Dual Hydro Gear 16cc Integrated Transaxle

> **CUTTING WIDTH** 61 inch / 1549mm

> > WEIGHT 627kg

OVERALL HEIGHT/LENGTH 1270mm / 2336mm

CHUTE UP/DOWN WIDTH 1612mm / 1917mm



#### 72" DECK

**ENGINE** Kawasaki EVO820 822cc EFI 35 hp

#### TRANSMISSION

4400 Dual Hydro Gear 16cc Integrated Transaxle

> CUTTING WIDTH 72 inch / 1828mm

> > WEIGHT 643kg

OVERALL HEIGHT/LENGTH 1270mm / 2336mm

CHUTE UP/DOWN WIDTH 1892mm / 2197mm

\$23,894 INC GST



ADVANCED CHUTE SYSTEM



MULCHING KIT



# OUTLAW ROGUE

### A BETTER MOWER WITH A BETTER CUT

Selecting the ideal blend of power, performance, and comfort doesn't require sacrificing your advantage. From the top-tier commercial-grade dual hydraulic pumps and drive motors to our patented EZ-Ride 3-link trailing suspension, the Outlaw Rogue refuses to yield any ground to our other mower models.



With options ranging from 61" to 72" deck sizes and featuring a Kawasaki EFI engine, the Rogue zero-turn lawn mower ensures professional-grade performance and precision cutting. There has never been a better time to go Rogue.

#### STANDARD FEATURES

- Dual 16cc Hydro-Gear Pumps
- Dual 18ci Parker Wheel Motors
- Patented 3-Link Rear Trailing Arm Suspension
- Patented Independent Front Suspension
- Heavy-Duty Cast I-Beam Rails
- 3-Gauge/6mm Deck with Reinforced 9.5mm Sides
- Heavy-Gauge, All-Steel, All-Welded Frame
- Patented Dual Deck Support Isolators
- Deck Lift Pedal with Deck Dial Adjustment

- Premium Adjustable
  Suspension Seat
- PEER, Maintenance-Free Spindles
- Exclusive Reaper<sup>®</sup> Rear Tyres
- Adjustable Footrest
- Rear Deck Striping Kit
- No-Flat Front Tyres
- Cutting height of 50mm to 152mm
- Rear Tyres: 26x12-12 Reaper
- Front Tyres: 15x6-6 Smooth
- Fuel 49.21L
- Mower speed up to 20.92km/h

#### BUILT TO HANDLE THE TOUGHEST CONDITIONS

Heavy-gauge, all-steel, all-welded and fabricated 38x76mm frame rail provides the backbone for years of durable service. Patented Dual Deck Support Isolators, with deck wear pad, helps minimise damage from side impacts.

The sloped 6mm deck with reinforced 9.5mm sides features Deck Idler Arm and Spring with bearings for consistent tension and cutting speed. The PEER maintenance-free, internally lubricated spindles are made from strong ductile iron.

#### 61" DECK

ENGINE Kawasaki FX1000 999cc EFI 38.5 hp

> TRANSMISSION Hydro-Gear® 16cc Pump; Parker® 18ci Wheel Motors


SUSPENSION Patented 3-Link Rear Trailing Arm Suspension with Patented Front Independent Suspension

> **CUTTING WIDTH** 61 inch / 1549mm

> > WEIGHT 697kg

OVERALL HEIGHT/LENGTH 1346mm / 2336mm

CHUTE UP/DOWN WIDTH 1612mm / 1917mm



#### 72" DECK

ENGINE Kawasaki FX1000 999cc EFI 38.5 hp

> TRANSMISSION Hydro-Gear® 16cc Pump; Parker® 18ci Wheel Motors

#### SUSPENSION

Patented 3-Link Rear Trailing Arm Suspension with Patented Front Independent Suspension

> CUTTING WIDTH 72 inch / 1828mm

> > WEIGHT 723kg

OVERALL HEIGHT/LENGTH 1346mm / 2336mm

CHUTE UP/DOWN WIDTH 1892mm / 2197mm









ADVANCED CHUTE SYSTEM



# OUTLAW RENEGADE

### THE HIGH-PERFORMANCE DIESEL MACHINE

ADDITIONAL MOWER OPTIONS ARE AVAILABLE. CONTACT YOUR LOCAL BAD BOY MOWERS DEALER FOR DETAILS AND PRICING. 27

The Bad Boy Outlaw Renegade Diesel is engineered to excel, surpassing expectations in endurance, cutting prowess, and overall performance. With an impressive 1100cc of diesel torque, this Renegade Diesel zero-turn lawn mower provides enduring, raw power performance.

It blends a unique combination of premium comfort, unmatched durability, and cutting-edge innovation, setting it apart as the ultimate commercial-grade zero-turn mower on the market.

### **NDARD**

Dual 16cc Hydro-Gear Pumps

- Dual 18ci Parker Wheel Motors
- Patented 3-Link Rear Trailing Arm Suspension
- Patented Independent Front Suspension
- Heavy-Duty Cast I-Beam Rails
- Sloped 3-Gauge/6mm Deck with Reinforced 9.5mm Sides
- Heavy-Gauge, All-Steel, All-Welded Frame
- Dual Pump Belt System with Tensioner Design
- Patented Dual Deck Support Isolators

- PEER, Maintenance-Free Spindles
- Deck Lift Pedal with Deck Dial Adjustment
- Premium Adjustable Suspension Seat
- Exclusive Reaper® Rear Tyres
- Adjustable Foot Rest
- Rear Deck Striping Kit
- No-Flat Front Tyres
- Cutting Height 50mm to 152mm
- Rear Tyres: 26x12-12 Reaper
- Front Tyres: 15x6-6 Smooth
- Fuel 49.21L
- Mower speed up to 20.92km/h

#### INNOVATION FRONT AND CENTRE

ADVANCED CHUTE SYSTEM

CANOPY

MULCHING KIT

Adjusts in more ways for complete operator control and comfort. The Adjustable Footrest — a Bad Boy innovation — and with front to back seat movement, adjusts for the perfect sitting posture.

Even the steering arms are adjustable and tension controllable. Our unique Deck Lift Pedal can be changed to either side and locked in place with a quick twist of our Deck Lift Dial. Suspension Seat is fully adjustable to operator weight and height with variable rate suspension, lumbar support and back adjustments from  $5^{\circ}$  to  $15^{\circ}$ .

#### 61" DECK

VARRANT

ENGINE Perkins 1100cc Diesel 24.7 hp

TRANSMISSION Hydro-Gear<sup>®</sup> 16cc Pump; Parker<sup>®</sup> 18ci Wheel Motors

**SUSPENSION** Patented 3-Link Rear Trailing Arm Suspension with Patented Front Independent Suspension

> **CUTTING WIDTH** 61 inch / 1549mm

> > WEIGHT 844kg

**OVERALL HEIGHT/LENGTH** 1295mm / 2311mm

CHUTE UP/DOWN WIDTH 1612mm / 1917mm





HAZARD LIGHT





FRONT STORAGE



### BAD BOY MOWERS FIND YOUR LOCAL DEALER IN AUSTRALIA...

ΛርΤ			ΤΛ5ΜΛΝΙΛ		
FYSHWICK	Roylance Tractor Replacements	02 6280 6198	DEVONPORT	TR & KR Shipton	03 6424 8166
NEW SOUTH WALES			HOBART	Southern Machinery	03 6229 1133
BEGA	JTP Machinery	02 6492 7151			
СООМА	Cooma Farm Machinery	02 6452 1605	ARARAT	Ararat Auto & Ag Services	03 5352 1643
DUBBO	JM Forklifts	02 6885 3675	BAIRNSDALE	Elders	03 5153 6100
FINLEY	Pether Ag	03 5883 1386	CASTERTON	Jarrad Motors Casterton & Dowfarm Machinery	03 5581 1142
FORBES	Roylance Tractor Replacements	02 6852 2020	CASTLEMAINE	Rewells Mowers	03 5472 1174
GOSFORD/SOMERSBY	Central Coast Tractors	02 4372 1457	COHUNA	Cohuna Car Sales	03 5456 2088
GOULBURN	Goulburn Farm Machinery	02 4821 4148	COLAC	Greg Allan Farm Machinery	03 5231 5136
GRAFTON	Leslie Farm & Garden	02 6642 3599	ECHUCA	McKees Garage	03 5482 2264
GRIFFITH	JJ Farm Equipment	02 6964 5959	EPSOM	McCullochs Hydraulic Engineers	03 5445 6999
LITTLE HARTLEY	Erin's Quality Outdoor Power Centre	02 6353 1608	GEELONG	Geelong Rural	03 5222 4733
MOSS VALE	ACF	0405 757 408	HAMILTON	Greg Allan Farm Machinery	03 5572 4884
MUDGEE	Double R Equipment Repairs	02 6372 3257	MANSFIELD	Mansfield Power Ag	03 5775 2711
ORANGE	New Era Machinery Pty Ltd	02 6361 3355	NAGAMBIE	John Sanderson Machinery	03 5794 2272
RUTHERFORD	Double R Equipment Repairs	02 6571 4249	PAKENHAM	The Tractor Company	03 5940 7033
TAREE/WINGHAM	Sheather's Machinery	02 6553 4507	SEVILLE	Seville Tractors	03 5964 4649
WAUCHOPE	Inland 4WD & Tractors	02 6585 3266	SHEPPARTON	Goulburn Valley Ag	03 5832 5500
WAGGA WAGGA	The Tractor Shed Riverina	02 6921 2035	WARRAGUL	Ag Farm Machinery	03 5630 8018
NORTHERN TERRITORY			WANGARATTA	McGregor Machinery	03 5722 9933
HUMPTY DOO	WSB Distributors	08 8988 9411	WHITTLESEA	Northern Mowers & Ag	03 9716 0579
	QUEENSLAND		WES	STERN AUSTRALIA	<b>`</b>
AGNES WATERS	Agnes Water Autos	0408 797 248	BUNBURY	Western Ag	08 9725 7011
AVONDALE	Avondale Autos	07 4156 1363	COWARAMUP	Cowaramup Tractors	08 9755 5207
BOWEN	RV Sales QLD	1300 147 555	ESPERANCE	Spotty's Mechanical	0428 751 107
BUNDABERG	Agricultural Equipment Australia	07 4152 3485	KATANNING	Total Ag Centre	0459 977 449
HERVEY BAY	RV Sales QLD	1300 147 555	KEWDALE	Western Ag	08 9353 6466
PARKINSON	RV Sales QLD	1300 147 555	MANJIMUP	Southern Forest Machinery	08 9777 2100
SUNSHINE COAST	ТМІ	07 5476 4888	MUCHEA	CD Tractor Sales and Service	0447 710 056
TOLGA	NQ Agricultural Services	07 4095 4455	WELSHPOOL	Perth Power Tractors	08 9256 8088
тооwоомва	Engage Ag	0436 287 056		and Machinery	
WOOROOLIN	Wooroolin Machinery Pty Ltd	07 4164 2312	WE ARE G	ROWING QUICKLY.	
SOUTH AUSTRALIA			SCAN FOR AN UP TO DATE DEALER LOCATOR IN AUSTRALIA		
CAVAN	Cavan Agricultural	08 8262 3847			
MOUNT BARKER	Central Hills Machinery	08 8391 1414			
RENMARK	Riverland Agri Services	08 8586 6136		0	L.
			INC		

**BEERS** 

1

BAD BOY

\*Pricing ex Brisbane, Melbourne and Perth warehouses. Pre-delivery and freight charges may apply. Pricing valid until 29 Feb 2024 or while stocks last. Images for illustration purposes only, specifications subject to change without notice. RE-ORDER #BB-BB011. Bad Boy Mowers Australia Head Office: PFG Australia Pty Ltd, 199 Australis Drive, Derrimut VIC 3026.